

CURT



ARLON




























SERIES 4500

CALENDERED OPAQUE FILMS

Series 4500

► Series 4500 / Series 4550

SATIN CALENDERED FILM

 Yellow	 31 Rose	 71 Teal	 07 Silver Q
 06 Yellow	 10 Purple	 60 Spring Green	 34 Cloud Gray
 09 Orange	 36 Mission Blue	 11 Green	 03 BlackD
 33 Fire Red	 05 Blue	 61 Medium Green	 40 Matte Black
 01 RedD	 37 Blueberry	 35 Imperial Green	 02 WhiteD
 12 Burgundy	 50 Royal Blue	 08 Brown	 49 Matte White
 32 Cotton Candy	 30 Dark Blue	 04 Gold Medal Q	



FOOTNOTE REFERENCE GUIDE

Arlon recommends that the user pre-test the vinyl on the substrate to be used. The surface must be cleaned according to the substrate manufacturer's specifications.

Q 4-year outdoor durability

D 60" (1,52m) by 50 yards (45,72m) rolls available in select colors only

GUÍA DE REFERENCIA

Arlon recomienda que el usuario realice una prueba previa del vinilo en el sustrato/objeto a usar. La superficie deberá ser limpiada según instrucciones del fabricante del sustrato objeto.

Q Durabilidad al aire libre por 4 años

D 60" (1,52m) por 50 yardas (45,72m) disponible en ciertos colores solamente

FEATURES

- Available in 35 colors
- Easy to handle 2.8-Mil (70 Micron) high gloss calendered film with permanent adhesive
- Up to 6-years outdoor durability
- Perforated available in 15" (0,38m) and 30" (0,76m) by 50 yards (45,72m)
- Non-Perforated available in 24" (0,61m), 30" (0,76m) and 48" (1,22m) by 50 yards (45,72m)

NOTE: Calendered films are recommended for flat and soft curved surfaces.

CARACTERÍSTICAS Disponible en 35 colores

- Fácil de manipular 70 Micrones (2.8-Mil) vinilo calandrado de alto brillo con adhesivo permanente
- Hasta 6 años de durabilidad exterior
- Perforado disponible en 15" (0,38m) y 30" (0,76m) por 50 yardas (45,72m)
- Sin Perforación disponible en 24" (0,61m), 30" (0,76m) y 48" (1,22m) por 50 yardas (45,72m)

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 5000, click



Series 5000

FEATURES

- Available in 27 colors
- Easy to handle 3-Mil (75 Micron) satin calendered vinyl with permanent adhesive
- Up to 6-years outdoor durability
- Perforated available in 15" (0,38m) and 30" (0,76m) by 50 yards (45,72m)
- Non-Perforated available in 15" (0,38m), 24" (0,61m), 30" (0,76m), 48" (1,22m) and 60" (1,52m) D by 50 yards (45,72m)

NOTE: Calendered films are recommended for flat and soft curved surfaces.

CARACTERÍSTICAS Disponible en 27 colores

- Fácil de manipular 75 Micrones (3-Mil) vinilo calandrado satinado con adhesivo permanente
- Hasta 6 años de durabilidad exterior
- Perforado disponible en 15" (0,38m) y 30" (0,76m) por 50 yardas (45,72m)
- Sin Perforación disponible en 15" (0,38m), 24" (0,61m), 30" (0,76m), 48" (1,22m) y 60" (1,52m)D por 50 yardas (45,72m)

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 4500, click





Series 4500



The Arlon Total System Warranty provides a guarantee when using various Arlon products together. Arlon Total System Warranty has you covered!







January 2018

USA:  200 Boysenberry Lane, Placentia, CA 92870, USA
EUROPE:  North Sea Building, Gevers Deynootweg 93, 4th Floor, 2586BK Den Haag, The Netherlands

 800 232 7161 / 714 985 6300
 +31 0 70 354 4311

 800 329 2756
 +31 0 70 355 7721